



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Week ended August 29. The sanitary condition of this port and vicinity is good. No quarantinable diseases exist.

Week ended September 5. Sanitary condition of this port and vicinity, good; no quarantinable diseases exist.

A British bill of health from Fort de France, Martinique, dated September 5, and signed by the British consul, reports "Seven cases of yellow fever during the past week; no deaths."

FOREIGN AND INSULAR STATISTICAL REPORTS OF COUNTRIES AND
CITIES—UNTABULATED.

BORNEO—*Sandakan*.—Month of June, 1908. Estimated population, 10,495. Total number of deaths, 43, including beri-beri 13, tuberculosis 4, and 3 from smallpox.

CANADA—*British Columbia—Vancouver*.—Month of August, 1908. Estimated population, 52,000. Total number of deaths, 60, including enteric fever 1 and 6 from tuberculosis.

DUTCH GUIANA—*Parimaribo*.—Month of August, 1908. Estimated population, 34,870. Total number of deaths, 105. No contagious diseases reported.

FRANCE—*Cherbourg*.—Month of August, 1908. Estimated population, 43,948. Total number of deaths, 64, including enteric fever 4, and 11 from tuberculosis.

GREAT BRITAIN—*England and Wales*.—The deaths registered in 76 great towns in England and Wales during the week ended August 29, 1908, correspond to an annual rate of 15.6 per 1,000 population, which is estimated at 16,234,952.

London.—One thousand three hundred and twenty-seven deaths were registered during the week, including measles 14, scarlet fever 13, diphtheria 10, enteric fever 5, whooping cough 10, tuberculosis 166, and 272 from diarrhea. The deaths from all causes correspond to an annual rate of 14.4 per 1,000. In Greater London 1,903 deaths were registered. In the "outer ring" the deaths included 3 from measles, 2 from scarlet fever, 4 from diphtheria, and 3 from whooping cough.

Salford.—Two weeks ended August 29, 1908. Estimated population, 239,294. Total number of deaths 184, including whooping cough 3, diphtheria 4, scarlet fever 1, and 12 from phthisis pulmonalis.

Ireland.—The average annual death rate represented by the deaths registered during the week ended August 29, 1908, in the 21 principal town districts of Ireland was 20.6 per 1,000 of the population, which is estimated at 1,131,959. The lowest rate was recorded in Limerick, viz, 13.7, and the highest in Tralee, viz, 31.7 per 1,000.

Scotland.—The deaths registered in 8 principal towns during the week ended August 29, 1908, correspond to an annual rate of 15.4 per

1,000 of the population, which is estimated at 1,839,038. The highest rate of mortality was recorded in Dundee, viz, 21.7, and the lowest in Leith, viz, 9.9 per 1,000. The aggregate number of deaths registered from all causes was 544, including measles 3, enteric fever 4, diphtheria 5, scarlet fever 1, and 17 from whooping cough.

GREECE—*Patras*.—Month of August, 1908. Estimated population, 42,500. Total number of deaths, 25, including enteric fever 1, diphtheria 1, and 12 from tuberculosis.

HUNGARY—*Fiume*.—Two weeks ended August 31, 1908. Estimated population, 49,500. Total number of deaths, 52, including 15 from tuberculosis.

JAPAN—*Formosa*.—Three weeks ended August 8, 1908. Estimated population, 3,050,004. Total number of deaths not reported. Thirteen deaths from enteric fever, 1 from diphtheria, and 1 from plague reported.

MALTA.—Three weeks ended August 22, 1908. Estimated population, 206,690. Total number of deaths, 282, including enteric fever 5, and 7 from tuberculosis.

NEW ZEALAND—*Auckland*.—Month of June, 1908. Census population, 69,149. Total number of deaths, 52, including enteric fever 1, and 8 from tuberculosis.

Christchurch.—Month of June, 1908. Census population, 55,263. Total number of deaths, 49, including 2 from tuberculosis.

Dunedin.—Month of June, 1908. Census population, 58,036. Total number of deaths, 52, including diphtheria 1, and 5 from tuberculosis.

Wellington.—Month of June, 1908. Census population, 63,807. Total number of deaths, 58, including diphtheria 1, scarlet fever 2, and 7 from tuberculosis.

SPAIN—*Barcelona*.—Month of August, 1908. Estimated population, 600,000. Total number of deaths, 1,037, including diphtheria 10, enteric fever 37, smallpox 6, measles 6, scarlet fever 1, whooping cough 13, and 86 from tuberculosis.

Malaga.—Month of July, 1908. Estimated population, 135,000. Total number of deaths, 255, including diphtheria 1, and 22 from tuberculosis.

SWITZERLAND.—Week ended August 22, 1908. Reports from 18 cities, having an aggregate population of 876,946, show as follows: Total number of deaths, 235, including diphtheria 3, whooping cough 1, enteric fever 2, and 44 from tuberculosis.

WEST INDIES—*Curaçao*.—Two weeks ended September 4, 1908. Estimated population, 30,400. Total number of deaths, 16.